

TYPE	CAPACITY kcal/h	CAPACITY Kw	G mm	G1 mm	L mm	H mm	Diameter of Chimney (mm)	Boiler Out/In	Expansion Out/In	Operating pressure (Bar)	Boiler weight (kg)	Water capacity (liters)	Bunker capacity (liters)
EK3G/S 120	120	140	730	1500	1500	1600	170	2"	1"	3	610	274	175
EK3G/S 140	140	163	710	1500	1200	1800	210	2"	1"	3	860	286	175
EK3G/S 160	160	186	710	1500	1330	1800	210	2"	1"	3	950	336	175
EK3G/S 180	180	210	730	1500	1600	1910	270	2"	1"	3	1100	380	242
EK3G/S 200	200	233	830	1600	1600	1910	270	DN 65	1 1/2"	3	1220	420	242
EK3G/S 220	220	256	830	1600	1890	2020	270	DN 65	1 1/2"	3	1450	460	242
EK3G/S 270	270	314	940	1710	2050	2020	270	DN 80	1 1/2"	3	2000	570	550
EK3G/S 320	320	372	940	1710	2350	2020	270	DN 80	1 1/2"	3	2350	730	550
EK3G/S 370	370	430	1040	1810	2450	2020	330	DN 80	2"	3	2600	860	550
EK3G/S 420	420	486	1140	1910	2600	2020	330	DN 80	2"	3	2850	925	600
EK3G/S 470	470	548	1140	1910	2600	2020	330	DN 100	2"	3	3100	1050	600
EK3G/S 520	520	604	1240	2010	2800	2020	350	DN 100	2"	3	3300	1200	740
EK3G/S 620	620	721	1340	2110	2950	2020	350	DN 125	2"	3	3700	1380	740
EK3G/S 720	720	838	1440	2440	3050	2020	400	DN 125	2"	3	4150	1820	740
EK3G/S 820	820	953	1540	2540	3150	2020	400	DN 125	2"	3	4750		
EK3G/S 920	920	1070	1640	2640	3150	2020	450	DN 150	2"	3	5200		
EK3G/S 1020	1020	1188	1640	2540	3250	2020	450	DN 150	2"	3	5700		

Our company has rights to make changes in the dimension

TYPE	CAPACITY kcal/h	CAPACITY Kw	G mm	L mm	H mm	Diameter of Chimney (mm)	Boiler Out/In	Expansion Out/In	Operating pressure (Bar)	Water capacity (liters)	Boiler weight (kg)	Bunker capacity (kg)
EK3G 120	120	140	830	1300	1630	210	2"	1"	3	286	760	
EK3G 140	140	163	830	1400	1630	210	2"	1"	3	336	940	
EK3G 160	160	186	730	1400	1630	270	2"	1"	3	380	1000	
EK3G 180	180	210	830	1400	1910	270	DN 65	1 1/2"	3	420	1120	
EK3G 200	200	233	830	1690	1910	270	DN 65	1 1/2"	3	460	1350	
EK3G 250	250	291	940	1850	1910	270	DN 80	1 1/2"	3	570	1650	
EK3G 300	300	349	940	2150	2020	270	DN 80	1 1/2"	3	730	2000	
EK3G 350	350	407	1040	2250	2020	330	DN 80	2"	3	860	2800	
EK3G 400	400	466	1140	1400	2020	330	DN 80	2"	3	925	3150	
EK3G 450	450	525	1120	2600	2020	330	DN 100	2"	3	1050	3500	
EK3G 500	500	581	1240	2600	2020	350	DN 100	2"	3	1200	3850	
EK3G 600	600	698	1340	2750	2020	350	DN 125	2"	3	1380	4100	
EK3G 700	700	814	1440	2850	2020	400	DN 125	2"	3	1820	4400	
EK3G 800	800	930	1540	2950	2020	400	DN 125	2"	3		4750	
EK3G 900	900	1048	1640	3050	2020	450	DN 125	2"	3		5150	
EK3G 1000	1000	1164	1740	3150	2020	450	DN 125	2"	3		5500	

Our company has rights to make changes in the dimension

TYPE	CAPACITY kcal/h	CAPACITY Kw	G mm	L mm	H mm	Diameter of Chimney (mm)	Boiler Out/In	Expansion Out/In	Operating pressure (Bar)	Water capacity (liters)	Boiler weight (kg)	Bunker capacity (liters)	Bunker capacity (kg)
EK3G 20	20	23	510	710	1160	130	1"	3/4"	3		160		
EK3G 25	25	29	510	710	1280	130	1"	3/4"	3	62	180		
EK3G 35	35	41	670	710	1350	130	1"	3/4"	3	80	260		
EK3G 45	45	53	670	820	1350	130	1 1/4"	3/4"	3	95	300		
EK3G 60	60	70	770	950	1470	170	1 1/2"	1"	3	140	440		
EK3G 80	80	93	770	1130	1470	170	1 1/2"	1"	3	180	500		
EK3G 100	100	116	730	1400	1630	170	1 1/2"	1"	3	274	520		

TYPE	CAPACITY kcal/h	CAPACITY Kw	G mm	G1 mm	L mm	H mm	Diameter of Chimney (mm)	Boiler Out/In	Expansion Out/In	Operating pressure (Bar)	Boiler weight (kg)	Water capacity (liters)	Bunker capacity (kg)
EK3G/S 30	30	35	510	990	770	1280	130	1"	3/4"	3	240	62	
EK3G/S 40	40	47	610	1210	770	1350	130	1"	3/4"	3	340	80	
EK3G/S 50	50	58	610	1210	880	1350	130	1 1/2"	3/4"	3	350	95	
EK3G/S 70	70	81	715	1360	950	1470	170	1 1/4"	1"	3	500	140	
EK3G/S 100	100	105 or 116	715	1360	1130	1470	170	1 1/2"	1"	3	650	180	

Our company has rights to make changes in the dimension